

*Brzo,
jednostavno,
pouzđano...
jednim potezom*

DINAGENT

Beograd, Save Maškovića 3-5

Tel./faks: 011 / 397-39-39


office@dinagent.com



www.dinagent.com

Brzo rastavljiva spojnica, ženski deo

Tip	Dimenzije	din.
 191 111 mignon	1/4	760
	3/8	815
	1/2	885
	1/8 mign.	470
	1/4 mign.	470
 192 112 mignon	1/4	815
	3/8	855
	1/2	885
	1/8 mign.	470
	1/4 mign.	470
 195 115 mignon	6 mm	855
	8 mm	885
	10 mm	930
	12 mm	930
	6 mign.	450
 196, 14A1U	6/14 mm	855
	8/15 mm	885
	8/17 mm	995
	10/17 mm	1.070

Brzo rastavljiva spojnica, muški deo

 261 211 mignon	1/4	215
	3/8	230
	1/2	270
	1/8 mign.	140
	1/4 mign.	155
 262 212 mignon	1/4	220
	3/8	270
	1/2	380
	1/8 mign.	140
	1/4 mign.	155
 265 215 mignon	6 mm	200
	8 mm	255
	10 mm	270
	12 mm	380
	6 mignon	125
 266	6/14 mm	250
	8/15 mm	260
	8/17 mm	400
	10/17 mm	495

Tip	Dimenzije	din.
 8F	7 i 8 mm	140
	10 mm	165
	12 i 14 mm	260
 7	1/4	165
 8	1/4	170
 9A	1/4	165

AIGNEP

Fini
COMPRESSORS



FLI GHIOTTO

**mebra
plastik
italia**

Brza spojnica sa spiralom, ženska Tip 193



Dim.	din.
6/4	950
8/6	995
10/8	995
10/6,5	995
12/10	1.070

Brza spojnica sa spiralom, muška Tip 263



Dim.	din.
6/4	360
8/6	400
10/8	420
12/10	475

Tip	Dimenzije	din.
 1855, 38A1	6/4	610
	8/6	625
	10/8	670
	12/10	765
 1026	6/4 - 1/4	570
	8/6 - 1/4	615
	10/6,5 - 1/4	660
	10/8 - 1/4	660
	12/8 - 3/8	660

Konusni priključci sa holenderom

Tip	Dimenzije	din.
 1000	4/2,7-M5	125
	4/2,7-1/8	125
	6/4-1/8	130
	6/4-1/4	140
	8/6-1/8	145
	8/6-1/4	165
	8/6-3/8	175
	10/8-1/8	165
	10/8-1/4	170
	10/8-3/8	195
	10/8-1/2	225
	12/10-1/2	290
 1110	4/2,7-1/8	205
	6/4-1/8	205
	6/4-1/4	220
	8/6-1/8	240
	8/6-1/4	260
	8/6-3/8	430
	10/8-1/4	285
	10/8-3/8	450
 1130	6/4	200
	8/6	225
	10/8	290
 1230	6/4	250
	8/6	290
	10/8	365
 1040	6/4	240
	8/6	265
	10/8	315
	12/10	335
	15/12,5	435
 1300	6/4	360
	8/6	425
	10/8	535

Priključci za gumena creva

Tip 3040	Dimenzije	din.
	6-1/8	155
	6-1/4	170
	7-1/4	170
	8-1/8	185
	8-1/4	190
	9-1/4	190
	9-3/8	245
	9-1/2	245
	10-1/4	190
	10-3/8	220
	10-1/2	245
	12-3/8	220
	12-1/2	255
	14-3/8	260
	14-1/2	290
	17-1/2	295
	20-3/4	400

Tip 9F	Dimenzije	din.
	6 mm	185
	8 mm	195
	10 mm	205
	12 mm	225

- ❖ VP cene (bez PDV), fco skladište u Beogradu.
- ❖ Prikazani su tipični predstavnici. Ostali tipovi i dimenzije na upit. Tražite detaljnu ponudu.
- ❖ Navedene cene su na današnji dan, ne stvaraju nikakve obaveze i podložne su promeni bez obaveštenja.

Beograd, jan. 2022

Brzi priključak Tip 50000	Dimenzije	din.
	3-M5	195
	4-M5	135
	4-1/8	140
	4-1/4	145
	5-M5	170
	5-1/8	150
	5-1/4	155
	6-M5	140
	6-1/8	145
	6-1/4	150
	6-3/8	160
	6-1/2	235
	8-1/8	160
	8-1/4	170
	8-3/8	195
	8-1/2	245
	10-1/4	240
	10-3/8	245
	10-1/2	305
	12-1/4	305
	12-3/8	310
	12-1/2	370
	14-3/8	350
	14-1/2	390

Prolazni nastavak Tip 50050	Dimenzije	din.
	Ø 4	315
	Ø 6	370
	Ø 8	390
	Ø 10	460
	Ø 12	580

Nastavak Tip 50040 - metalni	Dimenzije	din.
	Ø 4	250
	Ø 5	260
	Ø 6	265
	Ø 6-4	265
	Ø 8	315
	Ø 8-6	310
	Ø 10	390
	Ø 10-8	385
	Ø 12	460
	Ø 12-10	455
	Ø 14	740

Nastavak Tip 55040 - plastični	Dimenzije	din.
	Ø 4	220
	Ø 5	265
	Ø 6	225
	Ø 8	265
	Ø 8-4	265
	Ø 8-6	265
	Ø 10	315
	Ø 10-6	325
	Ø 10-8	325
	Ø 12	370
	Ø 12-8	370
	Ø 12-10	400
	Ø 14	595

REDUKCIJA Tip 50700 - smanjenje	Dimenzije	din.
	6-4	180
	8-4	190
	8-6	195
	10-4	245
	10-6	245
	10-8	245
	12-8	265
	12-10	285
	4-6	195
Tip 55705 - povećanje	6-8	210
	8-10	235
	10-12	240

Slepi priključak Tip 55620	Ø	din.
	Ø 4	120
	Ø 6	130
	Ø 8	135
	Ø 10	145
	Ø 12	155
	Ø 14	175

Brzi priključak Tip 50030	Dimenzije	din.
	4-1/8	215
	4-1/4	305
	6-1/8	215
	6-1/4	225
	8-1/8	235
	8-1/4	245
	8-3/8	285
	10-1/4	265
	10-3/8	305
	10-1/2	335
	12-3/8	350
	12-1/2	390

Koleno, produženo Tip 50121	Dimenzije	din.
	6-1/8	325
	6-1/4	340
	8-1/8	355
	8-1/4	410

Obrtni priključak Tip 51410	Dimenzije	din.
	M5	100
	1/8	130
	1/4	150
	1/8	155
	1/4	195

Bendžo Tip 50500	Dimenzije	din.
	4-M6	225
	6-M6	235
	4-1/8	285
	6-1/8	215
	6-1/4	225
	8-1/8	245
	8-1/4	245
	8-3/8	285
	10-1/4	285
	10-3/8	310
	12-1/2	370

Dvostrani bendžo Tip 50510	Dimenzije	din.
	6-1/8	310
	8-1/4	345

T-Komad, bočni Tip 50222	Dimenzije	din.
	6-1/8	410
	6-1/4	475
	8-1/8	485
	8-1/4	495
	10-1/4	640

Čep za priključke Tip 50610	Dimenzije	din.
	Ø 4	55
	Ø 6	60
	Ø 8	65
	Ø 10	70
	Ø 12	85
	Ø 14	90

- Cene, bez PDV, fco skladište u Beogradu.
- Prikazani su tipični predstavnici. Ostali tipovi i dimenzije na upit. Tražite detaljnu ponudu.
- Navedene cene su velikoprodajne, na današnji dan, ne stvaraju nikakve obaveze i podložne su promeni bez obaveštenja.

Koleno Tip 50130 - metalno Tip 55130 - plastično	Dimenzije	din.	
		Metalno	Plastično
	Ø 4 mm	235	220
	Ø 5 mm	240	/
	Ø 6 mm	245	235
	Ø 8 mm	285	255
	Ø 10 mm	370	350
	Ø 12 mm	510	460
	Ø 14 mm	780	640

Koleno sa navojem Tip 50111 - metalno Tip 55111 - plastično	Dimenzije	din.	
		Metalno	Plastično
	4-M5	260	/
	4-1/8	260	225
	4-1/4	270	245
	5-1/8	275	245
	6-M5	270	/
	6-1/8	275	/
	6-1/4	285	/
	6-3/8	/	285
	6-1/2	/	350
	8-1/8	305	285
	8-1/4	335	320
	8-3/8	405	/
	8-1/2	415	355
	10-1/4	425	/
	10-3/8	460	/
	10-1/2	520	455
	12-1/4	535	/
	12-3/8	560	/
	12-1/2	615	/
	14-3/8	640	/
	14-1/2	740	/

T-komad Tip 50230 - metalni Tip 55230 - plastični	Dimenzije	din.	
		Metalni	Plastični
	Ø 3	325	/
	Ø 4	340	310
	Ø 5	365	320
	Ø 6 4 6	/	335
	Ø 6	390	335
	Ø 8 6 8	/	390
	Ø 8	420	390
	Ø 8 10 8	/	390
	Ø 10 8 10	/	530
	Ø 10	610	540
	Ø 12 10 12	/	655
	Ø 12	795	660
	Ø 14	1.150	850

T-komad sa navojem Tip 50211 - metalni Tip 55210 i 55216 plastični	Dimenzije	din.	
		Metalni	Plastični
	4-1/8	410	325
	4-1/4	410	365
	5-1/8	410	355
	6-M5	/	370
	6-1/8	410	/
	6-1/4	440	375
	8-1/8	475	415
	8-1/4	475	/
	8-3/8	585	495
	8-1/2	/	530
	10-1/4	640	550
	10-3/8	660	595
	10-1/2	685	620
	12-1/4	/	635
	12-3/8	645	645
	12-1/2	725	650
	14-3/8	980	930
	14-1/2	1.100	990

Račva Tip 50310 metalna Tip 55310 plastična	Dimenzije	din.	
		Metalna	Plastična
	Ø 4	505	440
	Ø 6-4	/	490
	Ø 6	520	490
	Ø 8-6	/	530
	Ø 8	620	540
	Ø 10-8	/	545
	Ø 10	640	545
	Ø 12	/	590

Priključci za metalne cevi sa usečnim prstenom		
Tip	Dimenzije	din.
13480 - priključak 	4-1/8	130
	6-1/8	150
	6-1/4	155
	8-1/8	165
	8-1/4	170
	10-1/4	260
	10-3/8	270
	10-1/2	295
	12-3/8	290
	12-1/2	335
13280 - koleno 	4-1/8	155
	6-1/8	180
	6-1/4	185
	8-1/8	205
	8-1/4	210
	10-1/4	215
	10-3/8	255
	10-1/2	295
	12-1/4	310
	12-3/8	350
	12-1/2	385
13460 - nastavak 	4 mm	155
	6 mm	185
	8 mm	195
	10 mm	265
	12 mm	315
13260 - koleno 	4 mm	185
	6 mm	205
	8 mm	225
	10 mm	310
	12 mm	395
	14 mm	490
13200 - T komad 	4 mm	245
	6 mm	275
	8 mm	315
	10 mm	460
	12 mm	610
	14 mm	730
13220 - T komad 	6 - 1/8	220
	6 - 1/4	225
	8 - 1/4	245
	10 - 1/4	365
	10 - 3/8	395
	10 - 1/2	425
	12 - 1/2	850
13530 - adapter 	6 - 1/8	135
	6 - 1/4	155
	8 - 1/8	140
	8 - 1/4	170
	10 - 1/4	205
	10 - 3/8	245
	14 - 1/2	395
13600 - redukcija 	4 - 6	140
	6 - 8	155
	8 - 10	230
	10 - 12	260

Tip	13740	10770	13680
Izgled			
4,6 i 8 mm	35	40	45
10, 12, 14 mm	50	55	75

Trodelni nipl 	Dimenzije		din.
	1/8		200
	1/4		230
	3/8		290
Tip 2060			




Četvorostrani razvodni blok Tip 6040				
Dimenzije	1/4	3/8	1/2	
din.	300	420	515	
				




Tip	Koleno	Dimenzije	din.
5000 		1/8	200
		1/4	265
		3/8	425
		1/2	525
		3/4	610
		1	725
5010 		1/8	200
		1/4	265
		3/8	425
		1/2	525
		3/4	610
		1	725
Fiksno koleno, 5050 		1/2	560
5020 		1/8	200
		1/4	265
		3/8	425
		1/2	525
		3/4	610
		1	725

Tip	T-komad	Dimenzije	din.
4000 		1/8	285
		1/4	315
		3/8	395
		1/2	560
		3/4	660
		1	950
4020 		1/8	285
		1/4	315
		3/8	395
		1/2	560
		3/4	660
		1	950
4040 		1/8	285
		1/4	315
		3/8	395
		1/2	560
		3/4	660
		1	950
4050 		1/8	285
		1/4	315
		3/8	395
		1/2	560
		3/4	660
		1	950
Y-račva 6000-M 6010-F 		1/8	330
		1/4	420
		3/8	465
		1/2	555

Krst 6020	Dimenzije	din.
	1/8	295
	1/4	420
	3/8	515
	1/2	660

Krst 6025	Dimenzije	din.
	1/8	295
	1/4	420
	3/8	515
	1/2	660

Razvodni blokovi, tip:			
6047 - jednostrani		6048 - obostrani	
			
Dimenzije	din.	Dimenzije	din.
2x1/4-4x1/8	1.435	2x1/4-2x2x1/8	810
2x1/4-6x1/8	1.660	2x3/8-2x2x1/4	885
2x3/8-4x1/4	1.535	2x1/2-2x2x3/8	1.435
2x3/8-6x1/4	1.845		
2x1/2-4x3/8	1.610		

Tip	Dimenzije	din.
3015 sa zaptivkom 	M5	140
	1/8	145
	1/4	190
	3/8	220
	1/2	275
3020 paralelni 	M5	120
	1/8	125
	1/4	180
	3/8	190
3021 konusni 	1/2	220
	3/4	270
	1	295
3030 slepi 	1/8	165
	1/4	190
	3/8	240
	1/2	315
2000 dupli nipl 2020 nipl, reducir 	1/8-1/8	115
	1/4-1/4	140
	3/8-3/8	180
	1/2-1/2	255
	3/4-3/4	325
	1-1	490
	M5-1/8	125
	1/8-1/4	145
	1/8-3/8	165
	1/8-1/2	245
3000 muf 3010 muf reducir 	1/4-3/8	165
	1/4-1/2	245
	3/8-1/2	255
	1/2-3/4	425
	3/4-1	545
	1/8-1/8	125
	1/4-1/4	140
	3/8-3/8	170
	1/2-1/2	255
	3/4-3/4	410
2080, 2090 reducir 	1-1	490
	M5-1/8	135
	1/8-1/4	130
	1/8-3/8	165
	1/8-1/2	195
	1/4-3/8	160
	1/4-1/2	240
	3/8-1/2	250
	1/2-3/4	455
	1-1/2	550
2040, 2050 nastavak reducir 	1-3/4	710
	M5-1/8	145
	1/8-1/4	140
	1/8-3/8	160
	1/4-1/4	170
	1/4-3/8	165
	1/4-1/2	240
	3/8-1/2	255
	1/2-1/2	335
	1/2-3/4	360
2070 produžni nastavak 	1/4x51mm	265
3060 prodor 	1/8-M16x1,5	210
	1/4-M20x1,5	225

	Dimenzije	din.
	1/8-1/8	475
	1/4-1/4	520
	3/8-3/8	565
	1/2-1/2	655
	3/4-3/4	1.020

	Dimenzije	din.
	1/8-1/8	475
	1/4-1/4	520
	3/8-3/8	565
	1/2-1/2	655
	3/4-3/4	1.020

	Crevo Ø	din.
	4 mm	730
	6 mm	750
	8 mm	850
	10 mm	975
	12 mm	1.045

	Dimenzije	din.
	1/2	880
	3/4	1.115
	1	1.770

	Dimenzije	Cena
	1/2	880
	3/4	1.115
	1	1.770

	Tip 6700 - zatvoren u srednjem položaju	1.020 din.
	Tip 6710 - otvoren u srednjem položaju	

	Dimenzije	din.
	1/8	995
	1/4	1.175
	1/2	1.710

	Dimenzije	Cena
	1/8	480
	1/4	595
	3/8	740
	1/2	1.075

	Dimenzije	Cena
	4-M6	225
	6-M6	235
	4-1/8	275
	6-1/8	215
	6-1/4	225
	8-1/8	245
	8-1/4	245
	8-3/8	285
	10-1/4	285
	10-3/8	310
	12-1/2	370

	Dimenzije	din.
	M5	615
	1/8	545
	1/4	590
	3/8	955
	1/2	1.240

DINAGENT



Ugradna ugaona slavina 1/4" Tip 6720	
920 din.	

Y-filter tip 6035				
Dim.	1/2	3/4	1	2
din.	660	995	1.595	5.175



Napovratni ventili		Dimenzije	din.
		M5	535
Tip 6062 F-F		1/8	535
		1/4	675
6063 F-M		3/8	1.465
		1/2	1.545
6064		Ø 4	535
		Ø 6	625
6036		Ø 8	690
		1/2	590
		3/4	990
		1	1.030
		2	2.855

Prigušnici buke		Dimenzije	din.
		1/8	125
Tip 7000		1/4	165
		3/8	195
7010		1/2	305
		1/8	175
		1/4	265
		3/8	320
7030		1/2	445
		3/4	815
7050		M 5	225
		1/8	215
		1/4	290
		3/8	410
7070 - plastika		1/8	440
		1/4	455
		3/8	645
		1/2	690
		1/8	150
		1/4	185
		3/8	340
		1/2	340

Tip		Dimenzije	din.
		M5	730
8850 Prigušno - nepovratni ventil		1/8	830
		1/4	1.080
8860 Prigušni ventil		3/8	1.950
		1/2	2.305
55940 Prigušno - nepovratni ventil		Ø 4	655
		Ø 6	830
		Ø 8	1.185
		Ø 10	1.190

Pritisni prekidač	
Tip	31 32
Funkcija	NO NZ
Dimenzije	1/8 i 1/4
din. 3.690	

PRIPREMNE GRUPE		
Yeli-cina	Dimenzije	din.

	FILTERREGULATOR		
	MINI	1/4	2.630
	1	1/8 1/4 3/8	4.145
	2	1/4 1/2 3/8	5.050
	3	1/2 3/4 1	11.610

	NAULJIVAČ		
	MINI	1/4	2.295
	1	1/8 1/4 3/8	2.705
	2	1/4 1/2 3/8	3.600
	3	1/2 3/4 1	8.165

	FILTER		
	MINI	1/4	2.195
	1	1/8 1/4 3/8	2.535
	2	1/4 1/2 3/8	3.360
	3	1/2 3/4 1	7.455

	REGULATOR		
	MINI	1/8 1/4	1.600
	1	1/8 1/4 3/8	2.580
	2	1/4 1/2 3/8	3.935
	3	1/2 3/4 1	8.805

	2-delna PRIPREMNA GRUPA		
	MINI	1/4	5.215
	1	1/8 1/4 3/8	6.850
	2	1/4 1/2 3/8	8.955
	3	1/2 3/4 1	19.770

	3-delna PRIPREMNA GRUPA		
	MINI	1/4	6.670
	1	1/8 1/4 3/8	7.820
	2	1/4 1/2 3/8	11.260
	3	1/2 3/4 1	24.425

	Manometar		
	Ø	40 50 63	
	din. 760 890 935		

Ugradni manometri Ø 40 mm		
	din.	
1.720		

Blokada klipnjače		
Tip	8880	8890
Funkcija	jednosm.	dvosm.
Dimenzije	1/8	1/4
Cena din.	3.655	4.145

DINAGENT
 Beograd, Save Maškovića 3-5
 Tel./faks: 011 / 397-39-39
 office@dinagent.com
 www.dinagent.com

Beograd, januar 2022